




Now offer the Chemical Industry

Chem Store

State-of-the-art Chemical Storage facility



About V-Logis

- V-Logis is an essential arm of V-Trans.
- It deals with warehousing & 3 PL requirements of clients.
- Pan India presence in 22 cities
- More than 1 million sq. ft warehousing space
- Over 30 % of business is through chemicals

Chem Store



Need of a fully Compliant Chemical Warehouse

Chem Store

Storage of chemicals
require specialized handling



Very few options to store the
hazardous chemicals with full
compliance & standards

Safety - a big concern



Location & parallel services

With 6 decades of expertise in
chemicals transportation- our
clients have been asking for
warehouse solutions too

60
YEARS



Lack of LSP in delivering
Committed standards this
leads to inefficiencies with an
inbuilt risk.

Strategically located

Chem Store



As per the norms Chem Store is located away from Highway, Residential, School & River body.



For commuting bus facility is provided from nearest railway station. (Khadawali – Vashind - Kalyan)



Chem Store is located at NH-3, which is 30 km from Mankoli-Bhiwandi.



A tie-up with VED Hospital for emergency services and Ambulance has been done. Hospital is 12 km from Chem Store.



Fire station is located 20 km from Chem Store.

Strategically located



78 kms
from JNPT Seaport



58 kms
from Sahara
International Airport



38 kms
from Thane Station



27 kms
from Kalyan Station



60 kms
from Corporate
Head Office




20 kms
from Kalyan Bypass

Chem Store



Strategically located close to Mumbai
– Nashik highway (at Dohole village)
away from residential area but within
proximity of small habitat


<http://bit.do/ePtXi>



A World-class Facility

Chem Store








- Built with the state-of-the-art technology, meeting world class standards
- Amongst the top warehouses in the country - Fully compliant with NBC 2016 & NFPA
- Adhered with thorough and professional fire & safety compliance
- International design with strict compatibility for storing chemicals of varied class.



We've got the chemical industry covered

Chem Store

Engineered with high compliance standards to store the below category of hazardous chemicals comfortably and securely. This covers almost 80% of the industry requirement.

<p>Class 2</p> <p>Flammable Gases Non-Flammable Gases Inhalation Hazards Oxygen</p> 	<p>Class 3</p> <p>Combustible Liquids Flammable Liquids</p> 	<p>Class 4</p> <p>Flammable Solids Dangerous When Wet Spontaneously Combustible</p> 	<p>Class 5</p> <p>Oxidizers Organic Peroxide</p> 
<p>Class 6</p> <p>Poisons (Toxic) Inhalation Hazard</p> 	<p>Class 8</p> <p>Corrosives</p> 	<p>Class 9</p> <p>Miscellaneous Dangerous substances</p> 	

Accommodates every need

Chem Store

Spacious facility with a total area of **2,18,350 Sq. ft** to store precious haz-chems in perfect way with utmost safety measures offering complete peace of mind.



Stored Safely, Securely and Systematically

Chem Store




The racks and shelves are built with heavy duty racking system with systematic arrangement to keep optimum quantity of material with **20,000 pallet positions in 6 + 7 racking system.**



Height for efficiency

Chem Store



The layout of the warehouse is designed with height of **46 ft at the center** efficiently utilizing the space.



Insulated & Ventilated



Side walls with smart insulation and usage of natural lighting with ventilation

Standing seam roof with 50 mm glass wool insulation on roof and claddings for insulation for stable temperature indoor.

Louvers on side walls for proper ventilation.



Central Roof Monitoring System

Chem Store



To keep the internal temperature and air in control, central roof monitoring system is in place

HVLS Fan, Central roof monitoring system & Louvers

Chem Store



HVLS fans, Central roof monitoring system & louvers are key to keep the warehouses well ventilated, which makes it easier to maintain a consistent temperature in the facility.

Top to Bottom, Perfect Environment

Chem Store



With the help roof monitoring & louvers **7 air changes Per hour** is achieved for ventilation.

FM 2 flooring with Lithium silicate densification having Load bearing strength of **6 tons / Sq. mtr.**

Expansive Peripheral Access

Chem Store



- Wider space is provided on all four sides **for fire tendering & other vehicles movement.**
- **100 Ft.** at the Front and **110 Ft.** at Back



Smooth vehicle movement

Chem Store

- On either side there is **32 Ft. RCC road**
- Parking available for **45 containers**



All-Weather Operations

Chem Store



26 ft and 20 ft Canopy throughout on both sides
for all-weather smooth operations

Smooth Loading & Unloading

Chem Store

6 Operating Docks at both sides of **14.8 X 14.8 Ft** (Both side operations. Dock levelers at every alternate dock) One additional shutter of **14.8 X 20 Ft. for maintenance purpose**



Electric power system of **315 KVA Transformer & DG back up**
for on-site dedicated & continuous power supply.



24x7 Power back-up


Chem Store



Back up options for electricity –
uninterrupted operations at all the times,
with proper stack height for being careful
to the environment

Seamless dock-to-rack Movement

Chem Store



Articulated forklift, Battery operated fork lift, Battery operated pallet truck, Hydraulic pallet truck etc.


Temperature Controlled Chambers Available

Customized chamber for storage with required fire fighting system

Chem Store



Separate dedicated area with HVAC system



Cool room created with PIR Panels



Cold Storage Inside

Staging Area for smooth operation

Chem Store



Staging Area - used for the interim storage of goods in the warehouse.

Health & Safety both - RO Plant for drinking water

Chem Store



RO water purifier is a proven technology for safe drinking water for our staff.

STP plant treats the sewage to make it fit for safe disposal, agricultural use or domestic use in toilets etc.





World-class Features

Warehouse Infrastructure Features

Details

Total Warehouse Space	2,18,350 Sq. Ft. – Built up Area 1,74,680 Sq. Ft. – Carpet Area
Heavy Duty racking system	20000 + pallet positions
Warehouse Height	Center – 46 Ft. Side Walls – 36 Ft.
Type of Roofing	Standing seam roof with 50 mm glass wool insulation on roof & claddings
Ventilation	Roof to have roof monitor & louvers at the cladding
Flooring Type	FM 2 flooring with Lithium silicate densification having Load bearing strength of 6 tons / Sq.. Mtr.
Concrete Road Width – wider space on all four sides for fire tendering & other vehicles movement	100 Ft. on Front, 110 Ft. on Back & 32 Ft. on each side
Plinth Height	4 Ft. from ground level of the plot

Chem Store

Loading & Unloading Docks and Dimensions

6 Operating Docks at both sides of 14.8 X 14.8 Ft. (Both side operations. Dock levelers at every alternate dock) One additional shutter of 14.8 X 20 Sq. Ft. for maintenance purpose

RO water plant

Separate RO water plant for safe drinking water for the staff

Canopy

20 Ft. throughout Canopy on both sides

STP

Sewage treatment plant

Electrical power system

Dedicated & continuous power supplies, 315 KVA Transformer & DG back up

Latest material handling equipment to support seamless operations

Battery operated fork lift, Battery operated pallet truck, Articulated Fork lift, Hydraulic pallet truck etc.

Cool Room controlled Section


Separate dedicated area with HVAC system

Customized chamber for storage with required fire fighting system

As per the clients' requirements


Chem-Store – Floor Layout & Specifications

Chem Store



- Built-Up Area – 2,18,350 sq. ft.
- Carpet Area – 1,74,680 sq. ft.
- Office Area – Mezzanine with Open View Concept

- Height at Centre – 46 ft. (14 m)
- Height at Sides – 36 ft. (10.9 m)
- 100 ft road on docking side with boundary wall
- 32 ft wide road on wall and utility area



Storage & Spillage Management

Chem Store

Water tank for hydrant & sprinklers. Separate Containment pit



Dedicated tank of **4 Lakh Ltrs.**



Dedicated pit of **4 Lakh Ltrs.** for collection of spill and standard procedural disposal

Pump room with positive suction

Chem Store

Designed to utilize the natural pressure and provide **water supply with back-up motor for hydrant & Sprinkler.**



Fire Safe Environment

Fire hydrant & Sprinklers system & Fire detection system and alarm system

Chem Store




Fire Hydrant as per NBC 2016 norms with ESFR sprinklers with K-factor of **25.2 (350 LPM)**





Main electrical pump for **sprinkler 485**
M3 /HR @88 M

- A system which provides a curtain of water for protection against internal and external "exposure" to fire, and/or the protection of large openings.
- Bearing in mind, of storage of CHEMICAL products the entire periphery of the site is equipped with the Drencher.




Intelligent smoke / fume detection system –
VESDA (Very Early Smoke Detection Apparatus)



Flame-proof Electrical Fixtures

Chem Store



High-quality **flame proof**
FRLS Cable

Ready for Every Eventuality

Chem Store

Different kind of fire extinguishers to douse different kinds of chemical and non-chemical fires.
Along with training and fire drills for staff and workers.



Emergency Exits

Chem Store

6 Doors on both the sides (total 12 doors) at every 70 Ft. distance



LBD Area & Trench



- **Separate area** for controlling breakage, leakage & damage material
- **Trench along side 4 walls** for collection and disposal of material
- **Size 200 mm** wide with slope of 1:300



**BATTERY CHARGING
AREA**

A photograph of the exterior wall of a building. The wall is light-colored and shows signs of wear. The words "BATTERY CHARGING AREA" are painted in large, bold, red capital letters. To the left, a yellow vehicle is partially visible. The building has a corrugated metal roof.

- Separate battery charging area for MHEs with flame proof fittings.
- Kept outside the warehouse for safety.

Personal Safety Kit

Chem Store



PPE Kit

























SCABA
Self-contained breathing apparatus



Eye washer & Full body washer

Storage and handling compatibility

Chem Store

DANGEROUS GOODS & COMBUSTIBLE LIQUIDS STORAGE COMPATIBILITY CHART													
Class or Subsidiary Risk													
FLAMMABLE GASES		OK TO STORE TOGETHER	OK TO STORE TOGETHER	SEGREGATE At least 3m	SEGREGATE At least 3m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 3m	ISOLATE	SEGREGATE At least 3m	SEGREGATE At least 5m
NON TOXIC NON FLAMMABLE GASES		OK TO STORE TOGETHER	OK TO STORE TOGETHER	OK TO STORE TOGETHER	OK TO STORE TOGETHER	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 3m	ISOLATE	SEGREGATE At least 3m	SEGREGATE At least 5m
TOXIC GAS		SEGREGATE At least 3m	OK TO STORE TOGETHER	MAY NOT BE COMPATIBLE CHECK MSDS AND NOTES	SEGREGATE At least 3m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 3m	ISOLATE	SEGREGATE At least 3m	SEGREGATE At least 5m
OXIDIZING GAS		SEGREGATE At least 3m	OK TO STORE TOGETHER	SEGREGATE At least 3m	OK TO STORE TOGETHER	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 3m	ISOLATE	SEGREGATE At least 3m	SEGREGATE At least 5m
FLAMMABLE LIQUIDS + COMBUSTIBLE LIQUIDS		SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	OK TO STORE TOGETHER	SEGREGATE At least 3m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	ISOLATE	SEGREGATE At least 5m	SEGREGATE At least 3m
FLAMMABLE SOLID		SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 3m	OK TO STORE TOGETHER	SEGREGATE At least 3m	SEGREGATE At least 5m	SEGREGATE At least 3m	ISOLATE	SEGREGATE At least 3m	MAY NOT BE COMPATIBLE CHECK MSDS AND NOTES
SPONTANEOUSLY COMBUSTIBLE		SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 3m	OK TO STORE TOGETHER	SEGREGATE At least 5m	SEGREGATE At least 5m	ISOLATE	SEGREGATE At least 3m	SEGREGATE At least 3m
DANGEROUS WHEN WET		SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	SEGREGATE At least 5m	OK TO STORE TOGETHER	SEGREGATE At least 5m	ISOLATE	SEGREGATE At least 3m	SEGREGATE At least 5m
OXIDIZING AGENT		SEGREGATE At least 3m	SEGREGATE At least 3m	SEGREGATE At least 3m	SEGREGATE At least 3m	SEGREGATE At least 5m	KEEP APART	SEGREGATE At least 5m	SEGREGATE At least 5m	MAY NOT BE COMPATIBLE CHECK MSDS AND NOTES	ISOLATE	SEGREGATE At least 3m	SEGREGATE At least 3m
ORGANIC PEROXIDE		ISOLATE	ISOLATE	ISOLATE	ISOLATE	ISOLATE	ISOLATE	ISOLATE	ISOLATE	ISOLATE	OK TO STORE TOGETHER	ISOLATE	SEGREGATE At least 3m

Storage compatibility
chart

Dedicated HSSE Officer for Chem Store site

Emergency Response & Disaster Plan Management

- EHS Manual & EHS policy
- Documentation Procedure plan
- Training for personnel
- Regular mock and fire-drills

Fire & Safety Features

Features

Water tank for hydrant and sprinklers

Containment pit

Fire hydrant & Sprinklers system

Drencher System

Fire detection system and alarm system

Fire extinguisher

Well trained and skilled manpower

Flame proof lighting & Cabling

Use of PPE during handling

Details

Dedicated tank of 4 LAKH Ltrs.

Dedicated pit of 4 LAKH Ltrs. for collection of spill and standard procedural disposal

Fire Hydrant as per NBC 2016 norms with ESFR sprinklers with K factor of 25.2 (320 LPM)

Water curtain on walls in case of any eventuality

VESDA Fire detection system

Water, Chemical, Powder & Foam-based

With support of continuous trainings & mock drills

FRLS Cable

PPE such as masks, gloves, caps, respirators, face shield etc.

Chem Store

Lightening arrestors with earthing pit

Emergency exits

Trench

Separate area for controlling breakage, leakage & damage

Exposure control

Battery charging

ERDPM

Storage and handling compatibility

2 arrestors (grid type) with earthing pit

Doors on both the sides at every 70 Ft. distance

On all 4 corners of size 200 mm wide with slope of 1:300

YES

Eye washer & Full body washer

Separate battery area for MHE's

Emergency Response Disaster Plan Management

As per storage compatibility chart

- Conducting mock fire drills and emergency situations
- Specific safety briefings to all levels of staff
- Checklists for various aspects ex - MHEs, Fire fighting equipment's, racks, inventory, etc.
- Training calendar for 52 weeks, covering various topics for safety, know-how, operational matters
- Regular Tool-box meetings



- V-Trans & V-Xpress have a branch at the facility.
- Provide primary transportation from JNPT to Chem Store facility
- Local distribution from Chem Store to your nominated transport in Bhiwandi & around.
- Pan-India transportation from Chem Store thru V-Trans, V-Xpress or other associates





Chem Store

समय उपरान्त पंचायत - जिल्हा, ना. जिल्हा
जि. ठाणे. मातकुटुंब काळी दाखला देण्यात येतो. कि
विमर्शाला काळीपत्रात एम. एम. प्री. या कंपनीचे सार जिल्हा
- जिल्हा ना. जिल्हा, जि. ठाणे. येथे जोडावून असून
या जोडावून मधील जिल्हातून C-1 या विधीविमर्शाला
मार्गाने लगे पाठविले ए डिप्लोमाचे लगे दाखल (इंडिया) जि.
यातून कोरालील जिल्हालायसून मित्रियत देण्यासाठी त्या
पंचायतीची कळवणी प्रकाशनात लक्ष्म ना. असा ना -
- लक्ष्म दाखला दिना असा.

Provisional Fire NOC

Chem Store

GOVERNMENT OF MAHARASHTRA

Out No. : 119
Tel No. 2657 3555
Fax No. 2655 0287

Directorate of Maharashtra Fire Service
Maharashtra Fire Service Academy, Vidyawadi,
Hans Bhugra Marg, Santacruz (East), Mumbai - 400 098
Date:

M/s. Shivam Sai Corporation LLP,
Mr. Anil D. Manivade & Mr. Ali Asgar Arshwala
S. No. 22/1(pt), 22/2(pt), 24/2, 24/3, 25/5, 32, 33/1(pt), 33/2,
At Village Koshimbi & Dohole,
Tal - Bhiwandi, Dist. - Thane.

Sub:- NOC stipulating fire protection and fire fighting
requirements for proposed construction of Industrial
Buildings of M/s. Shivam Sai Corporation LLP,
Mr. Anil D. Manivade & Mr. Ali Asgar Arshwala
S. No. 22/1(pt), 22/2(pt), 24/2, 24/3, 25/5, 32, 33/1(pt), 33/2,
At Village Koshimbi & Dohole, Tal - Bhiwandi, Dist. -
Thane.

Ref :-Online Application of M/s R.R. Consulting
vide No. KON/01/01/2020/943 dated 01.01.2020.

This is a proposal for construction of Industrial buildings, Go-downs namely
C1 comprising of ground floor with a total height of 14.68 mtrs from general ground
level to roof level. Godowns shall consist space for storage of flammable / corrosive /
oxidizer material. The area of the plot is 1160105.84 sq.mt and the built up area is
16249.34 sq.mt. The details of constructions are as under:

FLOOR AREA STATEMENT	BUILT UP AREA IN SQ. MTRS	Height in Mtrs
Shed Ground floor	—	—
Type C1	16249.34	14.68

The site abuts NH and internal 15 mtrs wide road. In view of the above, as far
as this Department is concerned, there would be no objection for construction of
Industrial buildings, Go-downs namely Type C1 comprising of ground floor, subject
to satisfactory compliance of the following requirements, as per the details shown in
the enclosed plan, signed in token of approval.

This NOC is valid subject to fulfillment of following condition:-

Provisions of Maharashtra Fire Provision and Life Safety Measures Act, 2006.

- Under Section 3 of Maharashtra Fire Prevention and Life Safety
Measures Act, 2006 (hereinafter referred to as 'said Act') The applicant
(developer, owner, occupier by whatever name called) shall comply with all
the Fire and Life Safety measures adhering to National Building Code of
India, 2005 and as amended from time to time failing which it shall be
treated as a violation of the said Act.
- As per the provision as under :- 10 of the said Act, No person other than
the License Agency shall carry out the work of providing Fire Prevention
and Life Safety Measures or performing. Such other related activities

This is a proposal for construction of Industrial buildings, Go-downs namely
C1 comprising of ground floor with a total height of 14.68 mtrs from general ground
level to roof level. Godowns shall consist space for storage of flammable / corrosive /
oxidizer material. The area of the plot is 1160105.84 sq.mt and the built up area is
16249.34 sq.mt. The details of constructions are as under:

FLOOR AREA STATEMENT	BUILT UP AREA IN SQ. MTRS	Height in Mtrs
Shed Ground floor	—	—
Type C1	16249.34	14.68

GOVERNMENT OF MAHARASHTRA

No.MFS/2020/0119
Tel No. 2667 7555
Fax No 2666 0287

Directorate of Maharashtra Fire Service
Maharashtra Fire Service Academy
Vidyanagri, Hans Bhugra Marg,
Santacruz (East), Mumbai – 400 088
Date: 7th Aug 2020

M/s. Shivam Sai Corporation LLP,
Mr. Anil D. Manivade & Mr. Ali Asgar Arsiwala
S. No. 22/1(pt), 22/2(pt), 24/2, 24/3, 25/5, 32, 33/1(pt), 33/2,
At Village Koshimbi & Dohole,
Tal – Bhiwandi, Dist. – Thane.

Sub: Grant of "Final No-Objection Certificate" for Industrial Buildings M/s. Shivam Sai Corporation LLP, Mr. Anil D. Manivade & Mr. Ali Asgar Arsiwala S. No. 22/1(pt), 22/2 (pt), 24/2, 24/3, 25/5, 32, 33/1(pt), 33/2, At Village Koshimbi & Dohole, Tal – Bhiwandi, Dist. – Thane.

Ref : 1) Provisional No-Objection Certificate MFS/164 dated 17/01/2020.
2) Application submitted for Part Final NOC for Type C1.
3) Certificate Submitted by License Agency M/s. MD Fire World, License No. MFS-LA/F-0648, MFS-LA/D-0549.
4) Inspection Report Dated 06/08/2020.

This has reference to the above. This office has issued Provisional No-Objection Certificate Vide. No. **Provisional No-Objection Certificate MFS/164, dated 17/01/2020** for the construction of Industrial Factory Buildings. It shall consist space for storage of flammable/ corrosive/ oxidizer materials. With reference to the above, a representative of this office visited the building at the above-mentioned address for inspection of fire fighting arrangements provided for the Industrial Building **Type C1**.


It was observed during inspection that they have complied with all the other conditions mentioned in our "Provisional No-Objection Certificate". Details giving about Fire Pump, DG Supply, Automatic Sprinkler and Detection system, U/G Water Tank, Hose Reel, Yard Hydrant, Fire Extinguisher, Sign Indicators etc. are provided for the Industrial Building as per provisional NOC. The fire protection systems provided by the co. are checked & found in satisfactory working condition. Now the said co. had requested to issue **Final No Objection Certificate** for **Type C1**. Hence this Final NOC is issued subject to fire safety point of view only, without prejudice to legal matters pending in court of law, if any.

Statutory Provisions under Maharashtra Fire Prevention and Life Safety Measures Act, 2006.

- Under Section 3 of Maharashtra Fire Prevention and Life Safety Measures Act, 2006 (hereinafter referred to as "said Act") The applicant (developer, owner, occupier by whatever name called) shall comply with all the Fire and Life Safety measures adhering to National Building Code of India, 2005 and as amended from time to time failing which it shall be treated as a violation of the said Act.

Good Distribution Practice System Certificate

Chem Store



Certificate of Compliance

This is to certify that the

V-LOGIS
(A DIVISION OF V-TRANS (INDIA) LIMITED)

BUILDING NO C-1, SURVEY NO. 22/1 (PT), 25/5, 25/4 (PT), 32, 33/1 (PT) & 33/2,
SAIDHAM WAREHOUSING & LOGISTIC PARK, VILLAGE KOSHIMBI AND DOHOLE,
TALUKA BHIWANDI, THANE - 421101, MAHARASHTRA, INDIA

Has been assessed and found working satisfactorily as per the norms of
"Good Distribution Practice"
as laid down by World Health Organization

Good Distribution Practice (GDP) SYSTEM


For the following scope:


"3PL WAREHOUSING SERVICES"


Certificate Number: QVA-VLSG-21-161761

To verify this certificate please visit at www.gaafs.us

Date of Certification	16 th March 2021
Issuance Date	16 th March 2021
1st Surveillance Due	15 th March 2022
2nd Surveillance Due	15 th March 2023
Re-Certificate Due	15 th March 2024




Authorized Signatory



QVA Certification
CAS Address: Maryland Avenue, SW Washington, D.C. 20003
Validity of this certificate is subject to annual surveillance audits to be done successfully
This certificate is the property of QVA Certification and shall be returned immediately on request
QVA Certification is an independent Systems Products and Personnel assessment Body. QVA Certification is accredited by GAAPF US





Certificate

This is to certify that

V-LOGIS
(A DIVISION OF V-TRANS (INDIA) LIMITED)

BUILDING NO C-1, SURVEY. NO. 22/1 (PT), 25/5, 25/4 (PT), 32, 33/1 (PT) & 33/2, SAIDHAM WAREHOUSING & LOGISTIC PARK, VILLAGE KOSHIMBI AND DOHOLE, TALUKA BHIWANDI, THANE - 421101, MAHARASHTRA, INDIA

Has been found in compliance with requirement of

Quality Management System

ISO 9001:2015

For The Following Scope:

"3 PL WAREHOUSING SERVICES."

Certificate No	:	QMS/092020/1774
Original Certificate Date:	:	16 th -March -2021
Issue Date	:	16 th - March-2021
Expiry Date	:	15 th March -2024



Authorised Signature

International Standards Certification

Office: Gebirgsjaegerstrasse 29, Kirchdorf In Tirol, 6382, Austria

To check this certificate status visit
<http://eurokals.org.uk/check-certified-org.php>

International Standards Certification (ISC) accrediting by "Euro UK" This Certification remains the property of "ISC" to whom it must be returned on request.

5102:1006

Has been found in compliance with requirement of

Quality Management System

ISO 9001:2015

For The Following Scope:

"3 PL WAREHOUSING SERVICES."



Has been found in compliance with requirement of
Environmental Management System

ISO 14001:2015

For The Following Scope:

"3 PL WAREHOUSING SERVICES."



Certificate

This is to certify that

V-LOGIS

(A DIVISION OF V-TRANS (INDIA) LIMITED)

BUILDING NO C-1, SURVEY. NO. 22/1 (PT), 25/5, 25/4 (PT), 32,
33/1 (PT) & 33/2, SAIDHAM WAREHOUSING & LOGISTIC PARK,
VILLAGE KOSHIMBI AND DOHOLE, TALUKA BHIWANDI,
THANE - 421101, MAHARASHTRA, INDIA

Has been found in compliance with requirement of

Occupational Health and Safety Standard

ISO 45001:2018

For The Following Scope:

"3 PL WAREHOUSING SERVICES."

Certificate No : OHSAS/092020/1776
Original Certificate Date : 16th - March -2021
Issue Date : 16th - March -2021
Expiry Date : 15th - March -2024



Krishan Kumar
Authorized Signatory

International Standards Certification

Office: Gebirgsjaegerstrasse 29, Kirchdorf In Tirol, 6382, Austria

To check this certificate status visit
<http://euroskala.org.uk/check-certified-org.php>

International Standards Certification (ISC) accredited by 'Euro UK' This Certification remains
the property of 'ISC' to whom it must be returned on request.

Has been found in compliance with requirement of
Occupational Health and Safety Standard

ISO 45001:2018

For The Following Scope:

"3 PL WAREHOUSING SERVICES."

- Needs of our customers are paramount, customization / scalability / flexibility are the need of the hour.
- We have factored in build-to-suit concept in order to come up with perfect and accurate solutions tailor-made for each of our customers.
- Tell us your specific requirements for your precious chemicals, and we will customize an area just for your needs. A perfect solution.

Accolade for excellence

Chem Store

Though we have just started officially however the industry has recognized the highest level of safety standards and best in class infrastructure and awarded the excellence.



Let us understand if you need anything more

Chem Store



V-Logis, Plot No C1, Sai-Dham logistic Park, Opp. Mata Vishnodevi temple, Next to Indian Oil Petrol Pump, Village Dohale, Taluka Bhiwandi, Dist. Thane.

(Mumbai Nasik -NH -3 Highway. 3 km from Padghaga toll naka towards Nasik)

For more details contact +91-7862 820 820, info@vlogis.in